CUMULATIVE AUTHOR INDEX
Annals of the Entomological Society of America
Volume 89, 1996

A

Adamczyk, Jr., J. J., 812
Ahlstrom, K. R., 681
Alexander, K. D., 290
Alonso-Pimentel, H., 875
Armstrong, J. W., 64
Asis, J. D., 452

B

Bali, G., 475
Baranchikov, Y. N., 745
Barney, W. E., 70
Barron, J. R., 193
Benedict, M. Q., 261
Berlinger, M. J., 611
Bethke, J. A., 661, 843
Black IV, W. C., 428
Blay, S., 486
Bonato, O., 676
Brown, C. A., 41
Brown, M. W., 334
Brummett, D. L., 261
Bullini, L., 623
Bunnell, J. E., 858
Bushman, D. W., 148

C

Cane, J. H., 361
Cardé, R. T., 745
Carey, J. R., 526
Carpenter, J. E., 266
Casher, L. E., 109
Chalwatzis, N., 788
Charlton, R. E., 745
Clarke, A. R., 519
Cohen, A., 261
Collins, M. S., 346
Colonnelli, E., 623
Colwell, D. D., 398
Cônsoli, F. L., 828
Cook, S. P., 47
Cornel, A. J., 261
Cornuet, J.-M., 276
Corrêa-Ferreira, B. S., 822
Costa, H. S., 694
Coutinot, D., 212
Crozier, R. H., 276

D

Dahan, R., 611
Danielson, S. D., 804
Davis, D. R., 334
De Vito, E., 623
Deka, M., 137
Diaz, N. B., 497
Dillard, C. R., 103
Dueben, B. D., 459
Dyreson, E., 589

E

Ellsbury, M. M., 898
Erney, S. J., 804
Estoup, A., 276

F

Fairbairn, D. J., 637
Ferkovich, S. M., 103
Ferro, D. N., 297
Ffrench-Constant, R. H., 645
Fitzgerald, B. C., 858
Fitzgerald, S. J., 348
Floate, K. D., 398
Foerster, L. A., 822
Formanowicz, Jr., D. R., 41
Formusoh, E. S., 428
Fuerst, P., 28
Furniss, M. M., 328

G

Gallant, S. L., 637
Gallardo, F. E., 497
Gandolfo, D., 581
Gayubo, S. F., 452
Goeden, R. D., 1, 252
Gupta, P., 103
Gutierrez, J., 676

H

Hall, H. G., 20
Hamm, J. J., 266
Haraguchi, D., 284
Hatchett, J. H., 428
Hauf, J., 788
Haverty, M. I., 346
Hazarika, L. K., 137
Headrick, D. H., 1, 252
Heath, R. R., 459
Heckmann, R., 544
Hellenthal, R. A., 510
Henneberry, T. J., 694
Hennessey, M. K., 122
Herbeck, J. T., 892
Herbers, J. M., 354
Hidayat, P., 645
Hopper, K. R., 212
Howard, R. W., 700
Hoy, M. A., 435, 576
Hunter, M. S., 667

I

Infante, F., 700
Ito, F., 550, 835
Iverson, K., 544
Iwahashi, O., 653
Iwasaki, Y., 869

J

Jackson, C. G., 739
Jackson, J. J., 226, 898
Jang, E. B., 64
Johanowicz, D. L., 435

K

Kanehisa, D. T., 64
Kaspi, R., 486
Katsoyannos, B. I., 526
Kaufman, T., 238
Kazmer, D. J., 212
Keena, M. A., 564
Kervin, L. J., 361
Kidd, K. A., 681
Kimura, F., 835
King, E. G., 555
Kingan, T. G., 475
Kingsley, K. J., 883

Kinzelbach, R., 788
Kirchner, R. F., 501
Knight, A. L., 142
Knio, K. M., 1, 252
Kokko, E. G., 398
Kondratieff, B. C., 348, 501
Kouloussis, N. A., 526
Krafsur, E. S., 410
Krakauer, A. H., 203
Kĺe. . .ek, J., 775

L
Labandeira, C. C., 157
Lachmann, A. D., 759
Lance, D. R., 739
Landolt, P. J., 459
Lebiush-Mordechai, S., 611
Lee, B., 398
Lee, M.-L., 2., 20
Lewis, S. M., 892
Liu, T.-X., 96, 385
Lok-van Dijk, B., 611
Lopez, Jr., J. D., 475
Luévano-Martinez, P., 243

M
Macom, T. E., 535
Madeira, P. M., 122
Maiden, K., 212
Martin, J. A., 184
McAuslane, H. J., 686
McDermott, G. J., 858
McInnes, D. A., 231
McInnis, D. O., 739
Mecklenburg, K. L., 28
Meyer-Rochow, V. B., 849
Millar, J. G., 459
Miller, R. D., 420
Miller, S. G., 420
Miyatake, T., 284
Molina, O. H., 459
Morales-Ramos, J. A., 555
Mori, H., 391

N
Nalepa, C. A., 681
Nariboli, P., 410
Nguyen, R., 686
Nowierski, R. M., 858
Numata, H., 573

O
Obrycki, J. J., 410
Ochoa, R., 544
OConnor, B. M., 544
Oldroyd, B. P., 276

P
Palmer, M., 221
Panizzi, A. R., 822
Papadopoulos, N. T., 526
Papaj, D. R., 875
Park, Y., 728
Parra, J.R.P., 828
Pashley, D. P., 184
Petitpierre, E., 221
Pettis, J. S., 368
Phillips, T. L., 157
Phillips, T. W., 645
Polaszek, A., 667
Porter, J. L., 710
Porter, S. D., 535
Powers, T. O., 804
Presnail, J. K., 576
Price, R. D., 510
Prowell, D. P., 812
Pruess, K. P., 804

Q, R
Qazi, M.C.B., 892
Raffa, K. F., 75
Raina, A. K., 475
Ramualde, N., 212
Reardon, R. C., 47
Redak, R. A., 661, 843
Reitz, S. R., 81
Riemann, J. G., 405
Rieske, L. K., 75
Rinderer, T. E., 276
Rivers, D. B., 466
Rodriguez-Del-Bosque, L. A., 88
Roisin, Y., 775
Rojas, M. G., 555
Rose, M., 667
Ross, M. H., 129, 722
Rubink, W. L., 243
Rust, R. W., 710

S
Sakurai, T., 481
Sakuratani, Y., 835
Sallicandro, P., 623
Sastrodihardjo, S., 653
Sato, S., 835
Schaefer, C. W., 37
Scheffrahn, R. H., 775
Schiffhauer, D., 361
Schmitt, J. J., 334
Schnell, R. J., 122
Schwert, D. P., 53
Seely, M. K., 442
Sharp, J. L., 122
Shelly, T. E., 754
Shen, Y., 728
Shibata, E., 835
Shiga, S., 573
Silvan, J. F., 812
Sites, R. W., 12
Smith, Jr., J. W., 88
Smith, S. M., 28
Smolenski, A. J., 276
Stansly, P. A., 96, 385
Steinbauer, M. J., 519
Stewart, K. W., 290
Stringer, I.A.N., 849
Stuart, J. J., 428
Stuart, R. J., 354
Styer, E. L., 266
Sugden, E. A., 243
Sugimoto, T., 835
Swift, S. F., 313
Syamusdin-Subahar, T. S., 653

T
Tanaka, A., 129, 722
Tatman, K. M., 47
Tauber, C. A., 203
Taylor, M.F.J., 728
Taylor, R.A.J., 611
Terry, L. I., 589
Thorne, B. L., 346
Tormos, J., 452

Toscano, N. C., 694
Tsai, J. H., 375
Tschinkel, W. R., 231

U,V

Urbanelli, S., 623
Van De Peer, Y., 788
Vargas, R. I., 64
Vivan, L. M., 822

W

Wallner, W. E., 745
Walsh, G. C., 497, 581
Walsh, W. A., 64
Wang, K., 375
Ward, D., 442
Ward, K., 459
Webb, R. E., 47
Weber, D. C., 297
Weissling, T. J., 142
Weller, S. J., 184
Whittier, T. S., 754
Wieber, A. M., 47
Willig, M. R., 12
Wilson, W. T., 243, 368
Wongsiri, S., 276
Woodson, W. D., 226, 898

Y,Z

Yeargan, K. V., 70
Yuval, B., 486
Zack, R. S., 12
Zeng, Z., 858
Zimmermann, F. K., 788

CUMULATIVE SUBJECT INDEX
Annals of the Entomological Society of America
Volume 89, 1996

18S rRNA genes,
  Mecoptera, 788
  Strepsiptera, 788

A

Acantholybas,
  Colpurini, 519
  Coreidae, 519
Acarapis woodi, *Apis mellifera*, 368
  parasite, 368
Adalia bipunctata,
  allozymes, 410
  biocontrol, 410
adult diapause,
  Protophormia terraenovae, 573
  white-eye mutant, 573
adult emergence, *Bemisia argentifolii*, 385
  Bemisia tabaci, 385
Aegialia, allozymes, 710
  Scarabaeidae, 710
Africanized, *Apis mellifera*, 243
  European, 243
aggregation,
  lady beetle, 681
  parasitism, 681
agonadal, *Helicoverpa zea*, 266
  virus, 266
Aleurodicus dugesii,
  morphology, 405
  whiteflies, 405
alfalfa weevil strains,
  Hypera postica, 804
  mtDNA, 804
allozymes, *Adalia bipunctata*, 410
  Aegialia, 710
  biocontrol, 410
  Scarabaeidae, 710
Ambrysus, Naucoridae, 12
  ontogeny, 12
Anopheles,
  purine transport, 261
  urate, 261
ant mimic, Hemiptera, 36
  Micrelytrinae, 36
ants, ergatoid queen, 550
  eusociality, 354
  fire ants, 231
  reproduction, 550
  social insects, 354
  Solenopsis, 231
Aphelinus asychis, *Diuraphis noxia*, 212
  reproductive compatibility, 212
Aphthona spp., *Euphorbia* spp., 858
  leafy spurges, 858
Apis mellifera, *Acarapis woodi*, 368
  Africanized, 243
  European, 243
  parasite, 368
Aquarius remigis, *Aquarius remigoides*, 637
  Gerridae, 637
Aquarius remigoides, *Aquarius remigis*, 637
  Gerridae, 637
artificial diet,
  Trichogramma galloi, 828
  Trichogramma pretiosum, 828
attractant, pheromone, 459
  Trichoplusia ni, 459

B

backross hybrids,
  Heliothis subflexa, 420
  Heliothis virescens, 420
Bactrocera carambolae,
  methyl eugenol, 653
  response by males, 653
Bactrocera cucurbitae,
  density, 284
  mating success, 284
beetle, Coleoptera, 53
  fossil, 53
behavioral thermoregulation, desert beetles, 442
  Tenebrionidae, 442
Bemisia argentifolii,
  adult emergence, 385
  Bemisia tabaci, 385
  Eretmocerus, 686
  oocyte, 694
  whitefly, 686, 694
Bemisia tabaci,
  adult emergence, 385
  Bemisia argentifolii, 385
  heteronomous, 667
  heterotrophic, 667
Bemisia tabaci biotype B,
  development, 375
  sweetpotato whitefly, 375
bent spur, black-body mutant, 722
  German Cockroach, 722
biocontrol, *Adalia bipunctata*, 410
  allozymes, 410
biogeography,
  taxonomy, 775
  Termitidae, 775
biological control,
  chemical ecology, 700
  parasite, 88
  parasitoids, 96
  semiochemical, 700
  stalkborer, 88
  sweetpotato whitefly, 96
bionomics, introduced basswood thrips, 75
  Thrips calcartus, 75
Bittacus mastrillii,
  japanese hangingfly, 869
  mating behavior, 869

black-body mutant,
bent spur, 722
German Cockroach, 722
blowflies, *Calliphora erythrocephala*, 29
Drosophila, 29
boll weevil,
host-feeding, 555
parasitoid, 555
Braconidae, *Cardiochiles diaphaniae*, 576
maternal microinjection, 576
Bucculatrix albertiella, leaf toughness, 109
Phryganidia californica, 109

C

Caligonellidae, Prostigmata, 313
Raphignathoidea, 313
Calliphora erythrocephala, blowflies, 29
Drosophila, 29
Cardiochiles diaphaniae, Braconidae, 576
maternal microinjection, 576
Caribbean fruit fly, DNA, 122
Insecta, 122
carrion, *Dermestes*, 544
Dermestidae, 544
cave ecology, Diptera, 849
Meoditomyia farri, 849
cerambycid beetle, chemical attractant, 835
forest type, 835
Ceratitis capitata, mating, 754
mating behavior, 739
overwintering, 526
resistance, 739
sterile insect technique, 754
Tephritidae, 526
chemical attractant, cerambycid beetle, 835
forest type, 835
chemical ecology, biological control, 700
semiochemical, 700
Chrysomelidae, Colorado Potato Beetle, 297
host plants, 297
Coleoptera, beetle, 53
DNA content, 221
Encelia farinosa, 661, 843
fossil, 53
morphometry, 221
Ostoma, 193
Trirhabda geminata, 661, 843
Trogossitidae, 193
Colorado Potato Beetle, Chrysomelidae, 297
host plants, 297
Colpurini, *Acantholybas*, 519
Coreidae, 519
comparative survival and development, fruit flies, 64
temperature, 64
copulation, genital morphology, 759
sperm movement, 892
sphaeroceridae, 759
Tribolium, 892
Coreidae, *Acantholybas*, 519
Colpurini, 519
Cotesia melanoscela, hyperparasitoid, 47
Lymantria dispar, 47
cranberry, *Megachile*, 361
pollination, 361
critical photoperiod, damsel bugs, 70
sensitive stage, 70
cryptic species, host specificities, 252
immature stages, 1
Trupanea, 1, 252
Cydia pomonella, female behavior, 142
pheromone, 142
cytoplasmic inheritance, German cockroach, 129
mosaicism, 129

D

daily pattern, *Dicladispa armigera*, 137
mating behavior, 137
damsel bugs, critical photoperiod, 70
sensitive stage, 70
degree-days, development, 898
Diabrotica barberi, 898
Dendroctonus micans, *Dendroctonus punctatus*, 328
Scolytidae, 328
Dendroctonus punctatus, *Dendroctonus micans*, 328
Scolytidae, 328
density, *Bactrocera cucurbitae*, 284
mating success, 284
Dermestes, carrion, 544
Dermestidae, 544
Dermestidae, carrion, 544
Dermestes, 544
desert beetles, behavioral thermoregulation, 442
Tenebrionidae, 442
development, *Bemisia tabaci biotype* B, 375
degree-days, 898
Diabrotica barberi, 898
northern corn rootworm, 226
sweetpotato whitefly, 375
thermal threshold, 226
Diabrotica barberi, degree-days, 898

development, 898
diapause, *Lymantria dispar*, 564
temperature, 564
Dicladispa armigera,
daily pattern, 137
mating behavior, 137
Diplocentrus linda,
reproductive investment, 41
Vaejovis waueri, 41
Diptera, cave ecology, 849
Haematobia irritans, 398
Meoditomyia farri, 849
morphology, 398
Mydidae, 348
Opomydas, 348
Diuraphis noxia,
Aphelinus asychis, 212
reproductive compatibility, 212
diuresis,
feeding behavior, 148
Helicoverpa zea, 148
DNA,
Caribbean fruit fly, 122
Insecta, 122
DNA content,
Coleoptera, 221
morphometry, 221
Drosophila, blowflies, 29
Calliphora erythrocephala, 29
dung beetles, nesting behavior, 581
Scarabaeinae, 581

E

egg load, *Rhagoletis*, 875
sex ratio, 875
embryology, heart rate, 391
waterstrider, 391
Encelia farinosa,
Coleoptera, 661, 843
Trirhabda geminata, 661, 843
endangered species,
insect behavior, 883
Rhaphiomidas terminatus abdominalis, 883
Eretmocerus, *Bemisia argentifolii*, 686
whitefly, 686
ergatoid queen, ants, 550
reproduction, 550
Eucelatoria,
Helicoverpa zea, 81
host-parasitoid relationship, 81
Eucoilidae, hymenopteran parasitoids, 497
Paraganaspis egeria, 497
Euphorbia spp.,
Aphthona spp., 858
leafy spurges, 858
European, Africanized, 243
Apis mellifera, 243
eusociality, ants, 354
social insects, 354

F

fall armyworm,
Lepidoptera, 812
Spodoptera, 812
feeding behavior,
diuresis, 148
Helicoverpa zea, 148
female behavior, *Cydia pomonella*, 142
pheromone, 142
feral insects,
Helicoverpa zea, 475
oviposition, 475
fire ants, ants, 231
Solenopsis, 231
forest type, cerambycid beetle, 835
chemical attractant, 835
fossil, beetle, 53
Coleoptera, 53
Frankliniella occidentalis,
morphometrics, 589
Thysanoptera, 589
fruit flies, comparative survival and development, 64
temperature, 64

G

Galleria,
Helicoverpa zea, 103
Microplitis, 103
genetics, Mayetiola destructor, 428
sex-linkage, 428
genital morphology,
copulation, 759
sphaeroceridae, 759
Geomydoecus,
taxonomy, 510
Thomomydoecus, 510
German Cockroach,
bent spur, 722
black-body mutant, 722
cytoplasmic inheritance, 129
mosaicism, 129
Gerridae, *Aquarius remigis*, 637
Aquarius remigoides, 637
Glycine max, *Ligustrum japonicum*, 822
southern green stink bug, 822
grain,
mitochondrial DNA, 645
stored products, 645

H

Haematobia irritans,
Diptera, 398
morphology, 398
Hansonoperla,
Nearctic region, 501
new species, 501
heart rate,
embryology, 391
waterstrider, 391
Helicoverpa zea,

agonadal, 266
diuresis, 148
Eucelatoria, 81
feeding behavior, 148
feral insects, 475
Galleria, 103
host-parasitoid relationship, 81
Microplitis, 103
oviposition, 475
virus, 266
Heliothis subflexa,
backross hybrids, 420
Heliothis virescens, 420
Heliothis virescens,
backross hybrids, 420
Heliothis subflexa, 420
population genetics, 728
pyrethroid resistance, 728
Hemerobiidae, larvae, 203
Micromus subanticus, 203
Hemiptera, ant mimic, 36
Micrelytrinae, 36
heteronomous, *Bemisia tabaci*, 667
heterotrophic, 667
heterotrophic, *Bemisia tabaci*, 667
heteronomous, 667
honey bee subspecies, identification, 20
mitochondrial DNA, 20
host plants,
Chrysomelidae, 297
Colorado Potato Beetle, 297
host recognition,
Muscidifurax zaraptor, 466
Nasonia vitripennis, 466
host specificities, cryptic species, 252
Trupanea, 252
host-feeding,
boll weevil, 555
parasitoid, 555
host-parasitoid relationship, *Eucelatoria*, 81
Helicoverpa zea, 81
hymenopteran parasitoids, Eucoilidae, 497
Paraganaspis egeria, 497
Hypera postica, alfalfa weevil strains, 804
mtDNA, 804
hyperparasitoid, *Cotesia melanoscela*, 47
Lymantria dispar, 47

I

identification, honey bee subspecies, 20
mitochondrial DNA, 20
immature stages,
cryptic species, 1
Trupanea, 1
Insecta, Caribbean fruit fly, 122
DNA, 122
insect behavior, endangered species, 883
Rhaphiomidas terminatus abdominalis, 883
introduced basswood thrips, bionomics, 75
Thrips calcartus, 75
Isoptera, *Nasutitermes acajutlae*, 346
Nasutitermes nigriceps, 346
isozymes, molecular taxonomy, 623
Ochthebius (Calobius), 623

J, L

japanese hangingfly, *Bittacus mastrillii*, 869
mating behavior, 869
lady beetle,
aggregation, 681
parasitism, 681
larvae, Hemerobiidae, 203
Micromus subanticus, 203
leaf toughness,
Bucculatrix albertiella, 109
Phryganidia californica, 109
leafy spurges,
Aphthona spp., 858
Euphorbia spp., 858
Lepidoptera, fall armyworm, 812
ribosomal RNA, 184
Spodoptera, 812
systematics, 184
Lepidoptera morphology, life history, 334
Lyonetia, 334
life history, Lepidoptera morphology, 334
Lyonetia, 334
Ligustrum japonicum, *Glycine max*, 822
southern green stink bug, 822
Lymantria dispar, *Cotesia melanoscela*, 47
diapause, 564
hyperparasitoid, 47
pheromone, 745
rhythm, 745
temperature, 564
Lyonetia, Lepidoptera morphology, 334
life history, 334

M

Marttiales, Palaeodictyoptera, 157
piercing-and-sucking, 157
maternal microinjection, Braconidae, 576
Cardiochiles diaphaniae, 576

mating,
Ceratitis capitata, 754
sterile insect technique, 754
mating behavior, *Bittacus mastrillii*, 869
Ceratitis capitata, 739
daily pattern, 137
Dicladispa armigera, 137
japanese hangingfly, 869
resistance, 739
search behavior, 290
vibrational communication, 290
mating success,
Bactrocera cucurbitae, 284
density, 284
Mayetiola destructor,
genetics, 428
sex-linkage, 428
mealybug destroyer,
muscle block, 238
spermatophore, 238
Mecoptera,
18S rRNA genes, 788
Strepsiptera, 788
Megachile, cranberry, 361
pollination, 361
Meoditomyia farri,
cave ecology, 849
Diptera, 849
methyl eugenol,
Bactrocera carambolae, 653
response by males, 653
Micrelytrinae,
ant mimic, 36
Hemiptera, 36
Micromus subanticus,
Hemerobiidae, 203
larvae, 203
Microplitis, *Galleria*, 103
Helicoverpa zea, 103
microsatellite,
multiple mating, 276
polyandry, 276
mitochondrial DNA,
honey bee subspecies, 20
identification, 20
grain, 645
stored products, 645
molecular taxonomy,
isozymes, 623
Ochthebius (Calobius), 623
Mononychellus progresivus,
Oligonychus gossypii, 676
reproduction, 676
morphology, *Aleurodicus dugesii*, 405
Diptera, 398
Haematobia irritans, 398
whiteflies, 405
morphometrics,
Frankliniella occidentalis, 589
Thysanoptera, 589
morphometry,
Coleoptera, 221
DNA content, 221
mosaicism, cytoplasmic inheritance, 129
German cockroach, 129
mtDNA, alfalfa weevil strains, 804
Hypera postica, 804
multiple mating,
microsatellite, 276
polyandry, 276
reproductive output, 481
Reptortus clavatus, 481
Muscidifurax zaraptor,
host recognition, 466
Nasonia vitripennis, 466
muscle block, mealybug destroyer, 238
spermatophore, 238
Mydidae, Diptera, 348
Opomydas, 348

N

Nasonia vitripennis, host recognition, 466
Muscidifurax zaraptor, 466
Nasutitermes acajutlae, Isoptera, 346
Nasutitermes nigriceps, 346
Nasutitermes nigriceps, Isoptera, 346
Nasutitermes acajutlae, 346
Naucoridae, *Ambrysus*, 12
ontogeny, 12
Nearctic region,
Hansonoperla, 501
new species, 501
nesting behavior, dung beetles, 581
Philanthus pulchellus, 452
Scarabaeinae, 581
territoriality, 452
new species,
Hansonoperla, 501
Nearctic region, 501
northern corn rootworm,
development, 226
thermal threshold, 226

O

Ochthebius (Calobius), isozymes, 623
molecular taxonomy, 623
Oligonychus gossypii, *Mononychellus progresivus*, 676
reproduction, 676
ontogeny, *Ambrysus*, 12
Naucoridae, 12
oocyte, *Bemisia argentifolii*, 694
whitefly, 694
Opomydas, Diptera, 348
Mydidae, 348

Ostoma, Coleoptera, 193
Trogossitidae, 193
overwintering, *Ceratitis capitata*, 526
Tephritidae, 526
oviposition,
feral insects, 475
Helicoverpa zea, 475

P

Palaeodictyoptera, Marttiales, 157
piercing-and-sucking, 157
Paraganaspis egeria, Eucoilidae, 497
hymenopteran parasitoids, 497
parasite,
Acarapis woodi, 368
Apis mellifera, 368
biological control, 88
stalkborer, 88
parasitism, aggregation, 681
lady beetle, 681
parasitoid, biological control, 96
boll weevil, 555
host-feeding, 555
sweetpotato whitefly, 96
pheromone, attractant, 459
Cydia pomonella, 142
female behavior, 142
Lymantria dispar, 745
rhythm, 745
Trichoplusia ni, 459
Philanthus pulchellus, nesting behavior, 452
territoriality, 452
Phryganidia californica, *Bucculatrix albertiella*, 109
leaf toughness, 109
Phytoseiidae, Tetranychidae, 435
Wolbachia, 435
piercing-and-sucking, Marttiales, 157
Palaeodictyoptera, 157
pollination, cranberry, 361
Megachile, 361
polyandry,
microsatellite, 276
multiple mating, 276
polygyny, respiration, 535
Solenopsis invicta colony size, 535
population genetics, *Heliothis virescens*, 728
pyrethroid resistance, 728
population prediction, spider mites, 611
trap plant, 611
Prostigmata, Caligonellidae, 313
Raphignathoidea, 313
Protophormia terraenovae, adult diapause, 573
white-eye mutant, 573
purine transport, Anopheles, 261
urate, 261
pyrethroid resistance, *Heliothis virescens*, 728
population genetics, 728

R

Raphignathoidea, Caligonellidae, 313
Prostigmata, 313
reproduction, ants, 550
ergatoid queen, 550
Mononychellus progresivus, 676
Oligonychus gossypii, 676
reproductive compatibility,
Aphelinus asychis, 212
Diuraphis noxia, 212
reproductive investment, *Diplocentrus linda*, 41
Vaejovis waueri, 41
reproductive output, multiple mating, 481
Reptortus clavatus, 481
Reptortus clavatus, multiple mating, 481
reproductive output, 481
resistance, *Ceratitis capitata*, 739
mating behavior, 739
respiration, polygyny, 535
Solenopsis invicta colony size, 535
response by males, *Bactrocera carambolae*, 653
methyl eugenol, 653
Rhagoletis, egg load, 875
sex ratio, 875
Rhaphiomidas terminatus abdominalis, endangered species, 883
insect behavior, 883
rhythm, *Lymantria dispar*, 745
pheromone, 745
ribosomal RNA, Lepidoptera, 184
systematics, 184

S

Scarabaeidae, *Aegialia*, 710
allozymes, 710
Scarabaeinae, dung beetles, 581
nesting behavior, 581
Scolytidae, *Dendroctonus micans*, 328
Dendroctonus punctatus, 328
search behavior, mating behavior, 290
vibrational communication, 290
semiochemical, biological control, 700

chemical ecology, 700
sensitive stage, critical photoperiod, 70
damsel bugs, 70
sex ratio, egg load, 875
Rhagoletis, 875
sex-linkage, genetics, 428
Mayetiola destructor, 428
social insects, ants, 354
eusociality, 354
Solenopsis invicta colony size, polygyny, 535
respiration, 535
Solenopsis, ants, 231
fire ants, 231
southern green stink bug, *Glycine max*, 822
Ligustrum japonicum, 822
sperm, spermathecae, 486
Tephritidae, 486
spermathecae, sperm, 486
Tephritidae, 486
spermatophore, mealybug destroyer, 238
muscle block, 238
sperm movement, copulation, 892
Tribolium, 892
sphaeroceridae, copulation, 759
genital morphology, 759
spider mites, population prediction, 611
trap plant, 611
Spodoptera, fall armyworm, 812
Lepidoptera, 812
stalkborer, biological control, 88
parasite, 88
sterile insect technique, *Ceratitis capitata*, 754
mating, 754
stored products, grain, 645
mitochondrial DNA, 645
Strepsiptera, 18S rRNA genes, 788
Mecoptera, 788
sweetpotato whitefly, *Bemisia tabaci biotype* B, 375
biological control, 96
development, 375
parasitoids, 96
systematics, Lepidoptera, 184
ribosomal RNA, 184

T

taxonomy, biogeography, 775
Geomydoecus, 510
Termitidae, 775
Thomomydoecus, 510
temperature, comparative survival and development, 64
diapause, 564
fruit flies, 64
Lymantria dispar, 564
Tenebrionidae, behavioral thermoregulation, 442
desert beetles, 442
Tephritidae, *Ceratitis capitata*, 526
overwintering, 526
sperm, 486
spermathecae, 486
Termitidae, biogeography, 775
taxonomy, 775
territoriality, nesting behavior, 452
Philanthus pulchellus, 452
Tetranychidae, Phytoseiidae, 435
Wolbachia, 435
thermal threshold, development, 226
northern corn rootworm, 226
Thomomydoecus, *Geomydoecus*, 510
taxonomy, 510
Thrips calcartus, bionomics, 75
introduced basswood thrips, 75
Thysanoptera, *Frankliniella occidentalis*, 589
morphometrics, 589
trap plant, population prediction, 611
spider mites, 611
Tribolium, copulation, 892
sperm movement, 892
Trichogramma galloi, artificial diet, 828
Trichogramma pretiosum, 828
Trichogramma pretiosum, artificial diet, 828
Trichogramma galloi, 828
Trichoplusia ni, attractant, 459
pheromone, 459
Trirhabda geminata, Coleoptera, 661, 843
Encelia farinosa, 661, 843
Trogossitidae, Coleoptera, 193
Ostoma, 193
Trupanea, cryptic species, 1, 252
host specificities, 252
immature stages, 1

U, V

urate, Anopheles, 261
purine transport, 261
Vaejovis waueri, *Diplocentrus linda*, 41
reproductive investment, 41
vibrational communication, mating behavior, 290

search behavior, 290
virus, agonadal, 266
Helicoverpa zea, 266

W

waterstrider,
embryology, 391
heart rate, 391
white-eye mutant,
adult diapause, 573
Protophormia terraenovae, 573
whitefly, *Aleurodicus dugesii*, 405
Bemisia argentifolii, 686, 694
Eretmocerus, 686
morphology, 405
oocyte, 694
Wolbachia,
Phytoseiidae, 435
Tetranychidae, 435